# **Quilt: Interactive Publications**

## M. Bubak<sup>1,2</sup>, E. Ciepiela<sup>3</sup>, T. Gubała<sup>3</sup>, P. Nowakowski<sup>3</sup>,

- <sup>1</sup> Institute of Computer Science AGH, Kraków, Poland
- <sup>2</sup> Informatics Institute, University of Amsterdam, The Netherlands
- 3 ACC CYFRONET AGH, Kraków, Poland




## Quest for innovative technologies:

•facilitate collaborative development and publication of scientific experiments with the use of distributed computing resources; •retroactively process existing publications to render them interactive, with the ability to "inject" dynamic executable content; •instantiate scientific papers with dynamic content in a reader-friendly way, with

by end users;
•directly interface scientific databases and libraries of research data (e.g. OpenAIRE);
•enhance the peer review process by enabling reviewers to validate results of computational research by reenacting experiments using arbitrary input data.

interactive input which can be manipulated



#### The Quilt Experimentation Cycle Pre-computed results **Algorithms** Performs computations **Develops** Quilt Server + experiment Computing Backend Runs experiment Author **Browses** with own data algorithms, User input results forms Reads paper Writes **Ouilt** publication` Publisher paper Server Static content Reads static content Reader

- A research paper is authored by the **Author** in the form of a HTML document, capable of being rendered by a browser;
- Where applicable, the author may insert dynamic content into the publication (as simple HTTP links to so-called Quilt assets (input forms, output images, pieces of executable code), produced using the Experiment Workbench (via explorative experimentation);
- Assets can be interacted with by the Reader, who can, in effect, rerun the experiment with custom input, browse/download primary datasets as well as read the static content of the publication;
- The Quilt Server reenacts the experiments according to the algorithms specified by the Author;
- The Quilt Server can delegate computing tasks to the **Computing Backend** (HPC resources).

### **Experimentation**

- Used by the **Author** to write, test and deploy scientific experiments
- Supports a number of programming languages and can access HPC infrastructures
- Supports collaboration within goaloriented research teams
- Web interface based on GridSpace
- Interfaces Cloud computing stacks

## Authoring

Quilt End-User Interfaces

- Used by the Author to prepare the interactive publication
- Extended with the ability to publish and manage interactive assets generated by the experimentation UI
- · Requires no programming knowledge
- Based on Wiki/blogging tools
- Integration with arbitrary content management systems (CMS)

# Reading

existing to be developed

- Used by the **Reader** to interact with the publication
- Can visualize the publication and provides access to interactive content
- Can schedule computations on resources contributed by the reader
- · Providing fine-grained security
- Preserving partial results of long-term computations
- 1. M. Baez, et al.: Addressing information overload in the Scientific Community; IEEE Internet Computing 14 (6) 31-38, 2010
- 2. M. Bubak et al., Virtual Laboratory for Collaborative Applications, In: M. Cannataro (Ed.) Handbook of Research on Computational Grid Technologies for Life Sciences, Biomedicine and Healthcare, Chapter 27, pp. 531-551, 2009, IGI Global





